

BoatFloat®

The Stealth Boat Lift™



Rated
93%
by D&B

BoatFloat®

Boca Raton, FL 33431

Tel. and Fax: **866 BoatFloat**

E-mail: **info@BOATFLOATboatlifts.com**

www.BOATFLOATboatlifts.com

BoatFloat[®] is the World's best floating boat lift

- **Less costly to acquire, install and maintain**
- **No scheduled maintenance**
- **Two year warranty**
- **Quick delivery and simple self-installation**
- **Offers unmatched rough salt water and storm protection**
- **Designed for easy transportation and worldwide use**
- **Modular construction accommodates all vessels to 30,000 pounds**
- **Made entirely in the USA**

BoatFloat® Features

- **No permits**
- **Appearance** – BoatFloat® has a low profile stealth-like appearance. Its black skin hides dirt and is 100% UV resistant.
- **Portability** – BoatFloat® is a portable floating boatlift. Its permanently mounted lifting cables enable it to be quickly launched and removed from the water. It is also simply moved between closer locations by placing a vessel directly on it and driving it to its new locale – without towing which can be hazardous in high winds, rough seas or in close quarters.
- **Unsinkable and Secure** – The rotomolded polyethylene floats contain closed cell (non-water absorbing) EPS foam making the lift itself unsinkable. Furthermore, a stainless steel positive locking mechanism secures the raised vessel. As the lock can only be released with access to the controls, the boat will not float away in a storm or be stolen.
- **Emergency use** – In the event of a power failure, water alone will operate the BoatFloat® without electricity – no expensive and maintenance-prone solar panels, storage batteries or electrical controls.
- **Ease of use and safety** – A pocket wireless remote control activates the BoatFloat® which is powered by an ordinary garden hose and 15-ampere, 110 volt AC electricity. Manual control switches are located in the control dockbox. An available remote location kit enables the BoatFloat® to be totally self-contained and moored in any location which does not have water and electrical power. Our unique, patented water hydraulic boatlift provides a fast, constant level lift. The surface of the floats never submerge and contain a 2' wide nonskid walkway which runs the entire length of the boat – great for in-water hull and engine maintenance as the vessel can be maintained in either the elevated or lowered position. By stopping the lift action when the sides of the vessel are level with the surface of the floats, it can be easily loaded and unloaded with great safety.
- **Installation** – The BoatFloat® is configured to the exact specifications of the vessel at the factory and shipped to the user fully assembled. The floats, removed to meet DOT rules, slide on before launch and the lift is then lowered into the water and then floated to the users slip or mooring where it is easily installed with simple dock lines and normal water and electric fittings. If the self-contained remote location kit is ordered, the BoatFloat® is ready to use immediately as soon as it is placed in the water.
- **Maintenance** – A self-cleaning scraper cleans the ram shafts of sea growth each time the BoatFloat® is operated. The other parts of the BoatFloat® require NO maintenance as sea growth will not affect the operation of the lift or harm the boat in any way. As the entire BoatFloat® is constructed of galvanized and stainless steel (NOT ALUMINUM as our competitors use), no zincs are needed and no galvanic/electrolysis damage results – saving many maintenance hours and dollars. Also, no rust forms on the lift as its chassis is not exposed to the air-it is underwater. Thus, there is no scheduled maintenance or parts replacement for a BoatFloat®.
- **Stability** – Specifically designed for rough salt water use. BoatFloat®'s stability emanates from maintaining a low center of boat gravity and by adding 4' to the beam of a boat. Furthermore, BoatFloat®'s unique heavy steel chassis pulls down on the underside of the floats while buoyancy pushes the floats and the lift upwards; these opposing energy forces eliminate rolling action in heavy seas - unlike surface floating lifts which weigh less than half of a BoatFloat® and which roll and are otherwise totally unstable. This stability is critical in severe weather conditions.
- **Flexibility** – BoatFloat®'s 7 different sizes accommodates all boats weighing up to 30,000 pounds. A smaller sized BoatFloat® can be upgraded and reconfigured for a heavier boat at any time – no need to abandon the smaller size and purchase a larger size.
- **Environmentally friendly** – because it is powered by water and not hydraulic fluid, there is no potential for pollution.